


# Daphne

acoustic & partition systems



## COMPOSITION

<b>DOTS</b>	S size: 100% PET o ECOfelt Spessore: mm 1,5   gr / mtl 420
	L size: 70% lana naturale, 30% poliestere Spessore: mm 3   gr / mtl 820 Dimensioni: cm 150 ± 5%   " 59
<b>POIS</b>	PETfelt: 100% PET ECOfelt: 90% lana naturale, 10% poliestere Spessore: mm 1,5 + 3 o 4,5   gr / mtl 1200 Dimensioni: cm 150 ± 5%   " 59
<b>TERRAZZO</b>	ECOfelt: 70% lana naturale, 30% poliestere Spessore: mm 1,5   gr / mtl 420 & mm 4,5   gr / mtl 1200 Dimensioni: cm 150 ± 5%   " 59
<b>B-SIDED</b>	PETfelt: 100% PET + ECOfelt: 90% lana naturale, 10% poliestere Spessore: mm 4,5 + 4,5   gr / mtl 2400 Dimensioni: cm 150 ± 5%   " 59



## RECYCLABLE

100% Prodotto riciclabile nel rispetto dell'ambiente.



## MADE IN ITALY



## ACOUSTIC COMFORT

Valutazione secondo UNI ISO 11654, UNI EN ISO 354 e ASTM C423 - 09a.



## EASY CLEANING

Usare con regolarità l'aspirapolvere a beccuccio liscio, oppure utilizzare spazzole a setole morbide o detergenti professionali per imbottiti.



NEW!



## ANTIBACTERIA (OPTIONAL)



## COLOUR MATCHING

Leggere differenze di colore tra una partita e l'altra sono da considerarsi normali e garanzia di riciclo.



## CUSTOMIZABLE (B-sided, POISfelt, DOTSFelt)

Quantità minima: 25 ml  
Per riferimento colori vd cartella colori PETfelt e ECOfelt.



## POINT OUT!

Il feltro è caratterizzato dalla presenza di piccoli punti, legati al processo di cardatura del feltro tinto in fibra. Le impurità sono più evidenti su feltri chiari e a tinta unita.



## ENVIRONMENTAL IMPACT

S size PETfelt: 100% PET Thickness: mm 1,5   gr / mtl 420	L size ECOfelt: 70% natural wool, 30% polyester Thickness: mm 3   gr / mtl 820 Width: cm 150 ± 5%   " 59
PETfelt: 100% PET ECOfelt: 90% natural wool, 10% polyester Thickness: mm 1,5 + 3   gr / mtl 1200 Width: cm 150 ± 5%   " 59	ECOfelt: 70% natural wool, 30% polyester Thickness: mm 1,5   gr / mtl 420 & mm 4,5   gr / mtl 1200 Width: cm 150 ± 5%   " 59
PETfelt: 100% PET + ECOfelt: 90% natural wool, 10% polyester Thickness: mm 4,5 + 4,5   gr / mtl 2400 Width: cm 150 ± 5%   " 59	

100% Recyclable product respecting the environment.



## INDOOR QUALITY

Rating according to UNI ISO 11654, UNI EN ISO 354 and ASTM C423 - 09a.

Use regularly the vacuum-cleaner with smooth spout, or brushes with soft bristles, or upholstered professional cleaners.



## DESIGN COMMITMENT

Slightly differences between dyeing lots are considered normal and recycling guarantee.

Minimum quantity: 25 ml  
See PETfelt and ECOfelt colour charts for colour reference.

Felt is characterized by the presence of small dots, linked to the carding process of the fiber-dyed felt. Impurities are most noticeable on light-colored and solid colored felts.



**DESIGN COMMITMENT**  
**MATERIAL CORE**




**B-sided.**



EF Quartz rose 940  
 PF Jungle green 31




EF Fresh air 976  
 PF Beige 16




PF Grey 4  
 EF Acid green 611E



PF Yellow 3  
 PF Grey green 22



EF Mustard 54  
 PF Grey 4



PF Celadon 39  
 EF Lagoon 608



EF Salmon 317  
 PF Dark Orange 14